NEW RECORDS FOR SOME CANADIAN HORSE FLIES AND DEER FLIES (DIPTERA: TABANIDAE)¹

A.W. Thomas²

ABSTRACT: Hybomitra brennani is recorded from Alberta; Tabanus nigrovittatus is recorded from Cape Breton Island, northern New Brunswick, and Quebec; Chrysops fuliginosus is recorded from Quebec; Haematopota rara, Atylotus duplex, Atylotus thoracicus, Chrysops aberrans, Chrysops delicatulus, Chrysops montanus, and Tabanus reinwardtii are recorded from New Brunswick.

Hybomitra brennani (Stone) is considered an eastern species as Philip (1965) gave its distribution as New Hampshire and Quebec. On 14 July 1973, I collected three females in a Manitoba fly trap located in a Sphagnum bog, 32 km southeast of the town of Slave Lake, Alberta. I have also seen another 20 females taken in a similar trap in the same vicinity by R.L. Hooper, 3-29 July 1973.

Tabanus nigrovittatus Macquart is a salt marsh species with a range along the Atlantic coast to Prince Edward Island (Pechuman 1964). On 23 August 1977, I took three females, attacking man, on Cheticamp Island, Inverness County, Cape Breton Island, Nova Scotia. Between 28 July and August 2, 1979, specimens of T. nigrovittatus were collected from nine localities from Neguac, Northumberland County on the northeast coast of New Brunswick to Charlo, Restigouche County on the Bay of Chaleur, New Brunswick. The intermediate localities are not listed as I expect this species to be present in all salt marsh habitats along this coastline. One female was collected, attacking man, at Miguasha, Gaspé Peninsula, Quebec, on 1 August 1979.

Chrysops fuliginosus Wiedemann is a salt marsh species ranging from Florida to Nova Scotia (Philip 1965). On 1 August 1979, one female was taken, attacking man, in a salt marsh at Pointe-à-la-Garde, on the Bay of Chaleur, Gaspé Peninsula, Quebec.

Thomas (1978) recorded 43 species of tabanids from New Brunswick. During 1978 and 1979, a further 8 species were collected:

Haematopota rara Johnson; 1 female in flight trap, 21 July 1978, Bull Pasture Bog, Sunbury Co.

Atylotus duplex (Walker); 2 males, 1 female in flight trap, 9-14 July 1979, Fredericton, York Co.

¹Received November 13, 1979.

²Maritimes Forest Research Centre, Canadian Forestry Service, Department of the Environment, P.O. Box 4000, Fredericton, N.B. Canada

Atylotus thoracicus (Hine); 15 males, 15 females in flight trap, 13-26 July

1978, Bull Pasture Bog, Sunbury Co.

Chrysops aberrans Philip; 37 females in flight trap and attacking man, 19-25 July 1978, Moores Mills, Charlotte Co.; 56 females, attacking man, 19 July — 17 August 1979, Scotch Ridge, Charlotte Co.

Chrysops delicatulus Osten Saken. This species was recorded as occurring in New Brunswick by McIntosh (1903). The specimens collected were to be deposited in the United States National Museum, Washington. The specimens were apparently lost as Philip (1965) gave Maine as the northeast limit and Pechuman (1974 in litt.) gave southern Quebec and southern Maine as the northern limit. I collected four females in a Sphagnum bog, 13-15 July 1979, using a Manitoba fly trap, about 5 km north of Lepreau, Charlotte Co.

Chrysops fuliginosus Wiedemann; 12 females attacking man and in a Manitoba fly trap, 13-15 July 1979, Chance Harbour, Saint John Co.

Chrysops montanus Osten Sacken; 1 female in flight trap, 19 July 1978, Moores Mills, Charlotte Co.

Tabanus reinwardtii Wiedemann; 1 female in flight trap, 10 July 1979, Fredericton, York Co.

These 8 species, together with *Hybomitra itasca* (Philip) collected by Lewis and Bennett (1977), bring the total number of species known from the province to 52.

ACKNOWLEDGEMENT

I thank Dr. L.L. Pechuman, Cornell University, for his confirmation of my identifications of A. duplex, A. thoracicus, C. delicatulus, C. montanus, and H. brennani.

LITERATURE CITED

Lewis, D.J. and G.F. Bennett. 1977. Biting flies of the eastern Maritime Provinces of Canada. I. Tabanidae. Can. J. Zool. 55: 1493-1503.

McIntosh, W. 1903. The Diptera of New Brunswick. Bull. Nat. Hist. Soc. N.B. 5: 123-128. Pechuman, L.L. 1964. A list of the Tabanidae (Diptera) of Quebec. Can. Ent. 96: 1495-1496.

Philip, C.B. 1965. Family Tabanidae. *In*, A Stone (*ed.*) A catalog of the Diptera of America north of Mexico, pp. 319-342. U.S. Dept. of Agr. A.R.S. Washington.

Thomas, A.W. 1978. Records of horse flies and deer flies (Diptera: Tabanidae) in New Brunswick. Can. J. Zool. 56: 1546-1549.